

OFFICE (509) 882-3934
SHOP (509) 882-4934
FAX (509) 882-5771
Email janetm@wyckoff-farms.com

Wyckoff Farms, Inc.

160602 W. EVANS ROAD
P.O. BOX 249
GRANDVIEW, WASHINGTON 98930-0249



December 14, 2001

Phil Crane
Department of Ecology
15 West Yakima Avenue, Suite 200
Yakima, WA 98902-3452

Re: Emergency permits No. G4-32950, G4-32951, G4-32952, G4-32953, G4-32954,
G4-32957, G4-32990

Enclosed are the well monitoring reports for the permits noted above. If you have any questions or need further information please let me know.

Sincerely,

A handwritten signature in cursive script that reads "Janet Mount".

Janet Mount
WYCKOFF FARMS, INC.

Enclosures

cc: Pete Schlotfeldt

Name Winghoff Farms, Inc.

Permit No. 64-32953

Well ID. No. Crawford

Flow Meter Brand McCormeter

Measurement Unit Acres Feet

*** * FIRST MEASUREMENT MUST BE TAKEN BEFORE PUMPING BEGINS * ***

DATE	TIME	MEASUREMENT	INITIALS	COMMENTS
4/20/01		414005	PS	
6/1/01		423794	PS	
6/8/01		424111	PS	
6/22/01		434930	PS	
6/29/01		436605	PS	
7/13/01		453467	PS	
8/10/01		456886	PS	
8/20/01		482910	PS	
9/4/01		500476	PS	
9/10/01		515864	PS	
10/1/01		520798	PS	
10/8/01		541404	PS	
10/30/01		555589	PS	

A copy of these measurements must be submitted to the Department of Ecology after the irrigation season.

gh/940537



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

November 16, 2001

Wyckoff Farms Inc
PO Box 249
Grandview WA 98930-0249

RE: Application No(s). G4-32950, G4-32951, G4-32952, G4-32953, G4-32954, G4-32957, G4-32990

Earlier this year, the Department of Ecology issued an Emergency Drought Authorization under the above-referenced application number for the use of emergency wells in the Yakima River basins to supplement reduced deliveries during this irrigation season. In some cases new wells were approved for this purpose.

One of the provisions of the authorizations was that a flow meter must be installed, water use monitored, and the water use records submitted to the department at the end of the irrigation season. At this time, I am writing to request the metering reports on these wells. If you did not drill a well that was authorized, or did not use water that was authorized, please let us know.

My staff will be conducting end of irrigation season field visits in the near future. Your meter records and information on the completion of new wells is greatly appreciated.

If you have questions, please call Suzanne Blakeney at (509) 454-7294.

Sincerely,

A handwritten signature in cursive script that reads "Phil Crane".

Phil Crane, Unit Supervisor
Water Resources Program

SB:PC:gg
011110a



PBTB-822-2349

Drought Field Checklist

N 46° 15' 58.9"
W 119° 48' 14.5"

10 JULY 2001
Date of Field Visit
64-32953
Certificate / Permit Number
Phone Number

GPS Reading
WYCKOFF FARMS, INC
Certificate / Permit Name
JANET MOUNT (509) 882-3934
Contact Name

METER (WATER and/or ELECTRICAL) INFORMATION:

YES Type: Reading:
Type: Reading:
Type: Reading:

NO Describe alternative measuring technique:

449176 X.001 MCCAUMETER
8" MAINLINE
150 HP TURBINE- DIESEL POWER

How many users are on the electrical meter:

PUMP INFORMATION: (Should be a tag on the pump)

Type: HP: Head Discharge:

Other pump information:

General Notes:

DID NOT FIND WELL

Contacts' Questions:

ERIC & PHIL
Inspector Name

Inspector Name



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 11, 2001

To: Carroll Palmer, Yakama Nation

RE: Emergency Drought Change Authorizations re: Wyckoff Farms Inc
(G4-32957, G4-32951, G4-32953, G4-32952, G4-32950, G4-32954)

Enclosed are copies of the Department of Ecology's Emergency Drought Change Authorization(s), which constitutes our determination and order regarding the above-referenced application(s). If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board within thirty (30) days of receipt of this Order. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board within thirty (30) days of the date the Order was mailed in the same manner described above.

Sincerely,

Robert F. Barwin, Section Manager
Water Resources Program

RFB:gg
010533a

Enclosures: Emergency Drought Change Authorization(s)

f-1oth.doc



file